Annual Vehicle Inspection Report

Vehicle History Record								
Report Number	FLEET UNIT NUMBER							
	17/							
DATE 3/	13/24							

				DITE 3/15/4	1		
MOTOR CARRIER OPERATOR				INSPECTOR'S NAME (PRINT OR TYPE)			
ADDRESS				THIS INSPECTOR METTER THE CHANGE OF THE PROPERTY OF			
MOTOR CARRIER OPERATOR 626 SPECIALIZED CONTROLS ADDRESS 82W19480 Apollo DS			THIS INSPECTOR MEETS THE QUALIFICATION REQUIREMENTS IN SECTION 396.19.				
CITY, STATE, ZIP CODE			VEHICLE IDENTIFICATION (✓) AND COMPLETE ☐ LIC. PLATE NO.				
Muskyo WI 53150			AVINYAFTES003 Hool 9677				
VEHICLE TYPE ☐ TRACTOR ☐ TRAILER ☐ TRUCK ☐ (OTHER)			INSPECTION AGENCY/LOCATION (OPTIONAL)				
VEH	NENTS INSPECTED						
ITEM	ОК	NEEDS REPAIR	REPAIRED DATE	ITEM	ОК	NEEDS REPAIR	REPAIRED
1. BRAKE SYSTEM				7. STEERING MECHANISM	_	1335170013	
a. Service Brakes	X			a. Steering Wheel Free Play	ACL	1	
b. Parking Brake System	V			b. Steering Column	107	И	
c. Brake Drums or Rotors	X			c. Front axle beam and ALL steering components other	1/1	4	
d. Brake Hose	V			than steering column	N	T A	
e. Brake Tubing	Z			d. Steering Gear Box	M	件	
f. Low Pressure Warning Device	in	1		e. Pitman Arm	4		
g. Tractor Protection Valve	700	7		f. Power Steering	7		
h. Air Compressor	\vdash			g. Ball and Socket Joints	X		
i. Electric Brakes	+			h. Tie Rods and Drag Links	X		
j. Hydraulic Brakes	\vdash			i. Nuts	X		
k. Vacuum Systems	\vdash			j. Steering System	X		
2. COUPLING DEVICES				8. SUSPENSION			
a. Fifth Wheels	V			a. Any U-bolt(s), spring hanger(s), or other axle positioning part(s) cracked, broken, loose or missing	×		
b. Pintle Hooks	×			resulting in shifting of an axle from its normal position.	<i></i>		
c. Drawbar/Towbar Eye	11	1		b. Spring Assembly	X		
d. Drawbar/Towbar Tongue	111	+		c. Torque, Radius, or Tracking Components	Y		
e. Safety Devices	107			9. FRAME			
f. Saddle-Mounts	7		_	a. Frame Members	Y		
3. EXHAUST SYSTEM	-			b. Tire and Wheel Clearance	X		
a. Any exhaust system determined to be leaking of a point	6	,	-	c. Adjustable Axle Assemblies (Sliding Subframes)	X		
torward of or directly below the driver/sleeper compartment.		-		10. TIRES			
b. A bus exhaust system leaking or discharging to the atmosphere in violation of standards (1), (2), or (3).		VA		a. Tires on any steering axle of a power unit.	X		
c. No part of the exhaust system of any motor vehicle				b. All other tires.	X		
shall be so located as would be likely to result in burning, charring, or damaging the electrical wiring, the fuel	X			11. WHEELS AND RIMS	·		
supply, or any combustible part of the motor vehicle.	1.			a. Lock or Side Ring	M		
4. FUEL SYSTEM	~			b. Wheels and Rims	7		
a. Visible leak	A			c. Fasteners	X		
b. Fuel tank filler cap missing	X			d. Welds	V		
c. Fuel tank securely attached	Y			12. WINDSHIELD GLAZING			
5. LIGHTING DEVICES	7.			Requirements and exceptions as stated pertaining to any crack, discoloration or vision reducing matter (reference	1	1	
All lighting devices and reflectors required by Section 393 shall be operable.	Y			393.60 for exceptions).	100	1	
6. SAFE LOADING				13. WINDSHIELD WIPERS			
 a. Part(s) of vehicle or condition of loading such that the spare tire or any part of the load or dunnage can fall onto the roadway. 	X			Any power unit that has an inoperative wiper, or missing or damaged parts that render it ineffective.	10	4	
b. Protection against shifting cargo	4			List any other condition which may prevent safe operation of this vehicle.		-11	
				-			