

Annual Vehicle Inspection Report

Vehicle History Record							
Report Number	FLEET UNIT NUMBER						
	, 41						
DATE 3	114/24						

				D'41 3/ (-1/	0		
MOTOR CARRIER OPERATOR () Carries				INSPECTOR'S NAME (PRINT OR TYPE) MICE GOLYTE			
ADDRESS				7 0			
SEZW19480 ALONO DE				THIS INSPECTOR MEETS THE QUALIFICATION REQUIREMENTS IN SECTION 396.19.			
CITY, STATE, ZIP CODE				VEHICLE IDENTIFICATION (/) AND COMPLETE 🔲 LIC. PLATE NO.			
Muskey wit 53150				54JJOBEND IS NLNK3298			
VEHICLE TYPE TRACTOR □ TRAILER □ TRUCK			INSPECTION AGENCY/LOCATION (OPTIONAL)				
(OTHER)							
VEH	HICL	E CO	MPOI	NENTS INSPECTED			
ITEM	ОК	NEEDS REPAIR	REPAIRED DATE	ITEM	ОК	NEEDS REPAIR	REPAIRED DATE
1. BRAKE SYSTEM				7. STEERING MECHANISM			
a. Service Brakes	X			a. Steering Wheel Free Play	X		
b. Parking Brake System	1			b. Steering Column	¥		
c. Brake Drums or Rotors d. Brake Hose	1			c. Front axle beam and ALL steering components other than steering column	7		
e. Brake Tubing	X			d. Steering Gear Box	X		
	X			e. Pitman Arm	X		
f. Low Pressure Warning Device	X			f. Power Steering	X		
g. Tractor Protection Valve	×			g. Ball and Socket Joints	×		
h. Air Compressor	to	1		h. Tie Rods and Drag Links	4		
i. Electric Brakes	100	T		i. Nuts	4		
j. Hydraulic Brakes	\vdash			j. Steering System	X		
k. Vacuum Systems	_!_			8. SUSPENSION			
2. COUPLING DEVICES	~			a. Any U-bolt(s), spring hanger(s), or other axle positioning part(s) cracked, broken, loose or missing			
a. Fifth Wheels	1			positioning part(s) cracked, broken, loose or missing resulting in shifting of an axle from its normal position.	X		
b. Pintle Hooks	7	0		b. Spring Assembly	X		
c. Drawbar/Towbar Eye	101	P		c. Torque, Radius, or Tracking Components	X		
d. Drawbar/Towbar Tongue	No	T.		9. FRAME			
e. Safety Devices	X			a. Frame Members	Y		
f. Saddle-Mounts	X			b. Tire and Wheel Clearance	X		
3. EXHAUST SYSTEM				c. Adjustable Axle Assemblies (Sliding Subframes)	N	:1	
Any exhaust system determined to be leaking of a point forward of or directly below the driver/sleeper compartment.	Y			10. TIRES	-/-		
b. A bus exhaust system leaking or discharging to the atmosphere in violation of standards (1), (2), or (3).	N	1		a. Tires on any steering axle of a power unit.	Y		
c. No part of the exhaust system of any motor vehicle				b. All other tires.	X		
shall be so located as would be likely to result in burning, charring, or damoging the electrical wiring, the fuel	14			11. WHEELS AND RIMS			
supply, or any combustible part of the motor vehicle. 4. FUEL SYSTEM	<u> </u>			a. Lock or Side Ring	M		
a. Visible leak	V			b. Wheels and Rims	X		
b. Fuel tank filler cap missing	7			c. Fasteners	X		
c. Fuel tank securely attached	4			d. Welds	¥		
5. LIGHTING DEVICES	<u> </u>			12. WINDSHIELD GLAZING			
All lighting devices and reflectors required by Section 393 shall be operable.	Y			Requirements and exceptions as stated pertaining to any crack, discoloration or vision reducing matter (reference 393.60 for exceptions).	Y		
6. SAFE LOADING	<u> </u>			13. WINDSHIELD WIPERS	X		
a. Part(s) of vehicle or condition of loading such that the	-	-		Any power unit that has an inoperative wiper, or missing			
a. raris) or venicie or condition of loading such mat the spare tire or any part of the load or dunnage can fall onto the roadway.	7			or damaged parts that render it ineffective. List any other condition which may prevent safe operation			
h Protection against shifting cargo				of this vehicle			